

Pendant Light



نوران
NOORAN



COLLABORATION
MAKES US
STRONGER

INTELLIGENT
SOLUTIONS
FOR A MORE
SECURE WORLD

Content



Page 5



Page 6



Page 7



Page 8



Page 9




Page 10



Page 11




Page 12



Page 13



Page 15




Page 16



Page 17



Page 18



Page 19



Page 20



Page 21




Page 22




Page 23




Page 24




Page 25



Page 26




Page 27



Page 28




Page 29





Page 30

Code	C43 (Medium) – C44 (Large)
Input Voltage	220–240V
Power(Watts)	46W / 67W
Lumen	5520lm / 8040lm
Color Temperature	3000K
IP Level	20
Main Material	Steel + Polyurethane + Acrylic
Body Color	White




650 mm
 850 mm

Code	C70
Input Voltage	220–240V
Power(Watts)	22W
Lumen	2640lm
Color Temperature	3000K
IP Level	20
Main Material	Aluminum + Acrylic
Body Color	Dark Brown




550 mm




1200 mm

Code	C72-3
Input Voltage	180-240V
Power(Watts)	53W
Lumen	4250lm
Color Temperature	3000K
IP Level	20
Main Material	Aluminum
Body Color	Black




700 mm





1000 mm


Code	C240
Input Voltage	220-240V
Power(Watts)	87W
Lumen	8700lm
Color Temperature	3000K
CRI $\geq$	90
IP Level	20
Main Material	Aluminum
Body Color	Black



Code	C241
Input Voltage	220-240V
Power(Watts)	65W
Lumen	6500lm
Color Temperature	3000K
CRI $\geq$	90
IP Level	20
Main Material	Aluminum
Body Color	Black




Code	C242
Input Voltage	220-240V
Power(Watts)	70W
Lumen	7000lm
Color Temperature	3000K
CRI $\geq$	90
IP Level	20
Main Material	Aluminum
Body Color	Black




408 mm

850 mm




1500 mm


Code	C233
Input Voltage	220-240V
Power(Watts)	99W
Lumen	9030lm
Color Temperature	3000K
CRI $\geq$	90
IP Level	44
Main Material	Aluminum
Body Color	Black



1250 mm



750 mm



1500 mm

Code LC123 (White)

Input Voltage 220-240V

Power(Watts) 4x5.4 (22W)


Color Temperature 3000K

CRI $\geq$ 90


IP Level 20

Main Material Aluminum


Body Color Black / White



White



Code	Cable Pendant Light
Base	G9
Included	Rosette & Cable Holder
IP Level	20
Main Material	Aluminum
Lamp Shade	Glass
Body Color	Black





Code LC106 (White) / LC107 (Black)

Input Voltage 220–240V

Power(Watts) 136W

Color Temperature 3000K

CRI $\geq$ 90


IP Level 20

Main Material Aluminum


Body Color Black / White





White




Black



Code	C217-1 (Gold)
Input Voltage	100-130V
Power(Watts)	19W
Lumen	1470lm
Color Temperature	3000K
CRI $\geq$	90
IP Level	20
Main Material	Aluminum
Body Color	Black / Gold



Gold



Code LC121 (White) / LC122 (Black)

Input Voltage 220–240V

Power(Watts) 6x4.5W (27W)

Color Temperature 3000K

CRI $\geq$ 90

IP Level 20


Main Material Aluminum

Dimmable 50% to 100%



Body Color Black / White



White




Code	C77-1 (Gold)
Input Voltage	220-240V
Power(Watts)	26W
Lumen	2100lm
Color Temperature	3000K
CRI $\geq$	90
IP Level	20
Main Material	Aluminum
Body Color	Gold



Code	N1011
Input Voltage	220-240 60MA
Power(Watts)	6W
Lumen	600lm
Base	GU10
Color Temperature	3000K
Beam Angle	35°
CRI $\geq$	80
IP Level	20
Main Material	Aluminum
Body Color	Black / White




Code	LC94
Input Voltage	220-240V
Power(Watts)	6W
Color Temperature	3000K
CRI $\geq$	90
IP Level	20
Main Material	Aluminum
Body Color	Black




Code	LC151
Input Voltage	220V
Power(Watts)	10W
Color Temperature	3000K
Light Source	LED Strip
Lumen	696lm
Beam Angle	360°
CRI $\geq$	90
IP Level	20
Main Material	Aluminum
Body Color	Black




Code	LC169
Input Voltage	220V
Power(Watts)	8W
Color Temperature	3000K
Lumen	337lm
Light Source	Edison
Beam Angle	86°
CRI $\geq$	90
IP Level	20
Main Material	Aluminum
Body Color	Silver Coffee




Code	LC172
Input Voltage	220V
Power(Watts)	12W
Color Temperature	3000K
Lumen	145lm
Light Source	Silicon Energy + Edison
Beam Angle	26.7°
CRI ≥	90
IP Level	20
Main Material	Aluminum + Clear Glass
Body Color	Black + Frost & Clear Glass




Code	LC173
Input Voltage	220V
Power(Watts)	11W
Color Temperature	3000K
Lumen	519lm
Light Source	Igor
Beam Angle	66°
CRI $\geq$	90
IP Level	20
Main Material	Aluminum + Clear Glass
Body Color	Black





Code	C225
Input Voltage	220–240V
Power(Watts)	12W
Lumen	1440lm
Color Temperature	3000K
CRI $\geq$	90
IP Level	20
Lamp Shade	Crackle Glass
Main Material	Aluminum, Steel, Glass
Body Color	Dark Gray



Code	LC176(Clear Glass)
Input Voltage	220V
Power(Watts)	30W
Lumen	2400lm
Color Temperature	3000K
IP Level	20
Beam Angle	72°
Main Material	Aluminum + Smokey and Clear Glass
Body Color	Black
Options	Dimmable



Code	AG114 (Black)
Input Voltage	220-240 50/60Hz
Power(Watts)	15W
Lumen	1500lm
Color Temperature	4000K
IP Level	20
Main Material	Aluminum
Body Color	Black / White



Code

LC165 (Ø330)

Input Voltage

100-130V

Power(Watts)

15W

Lumen

680lm

Color Temperature

3000K

CRI ≥

90

IP Level


20

Main Material


Aluminum

Body Color



Black



Code	LC166 (Ø400)
Input Voltage	100-130V
Power(Watts)	20W
Lumen	784lm
Color Temperature	3000K
CRI ≥	90
IP Level	20
Main Material	Aluminum
Body Color	Black



Code	C272
Power(Watts)	23W
Lumen	2760lm
Color Temperature	3000K
CRI $\geq$	90
IP Level	20
Main Material	Aluminum + Steel + Acrylic
Body Color	Antique Brass



[illegible]



نوران
NOORAN